

Order / Family	Latin Name	English name	Flight mode	Feeding niche
GALLIFORMES				
Phasianidae	<i>Melanoperdix nigra</i>	Black partridge	N	O
Phasianidae	<i>Lophura erythrophthalma</i>	Crestless fireback	N	O
Phasianidae	<i>Argusianus argus</i>	Great argus	N	O
ANSERIFORMES				
Anatidae	<i>Dendrocygna javanica</i>	Lesser whistling duck	F	H
CICONIIFORMES				
Ciconiidae	<i>Ciconia stormi</i>	Storm's stork	F	C
Ciconiidae	<i>Leptoptilos javanicus</i>	Lesser adjutant (stork)	F	C
Threskiornithidae	<i>Pseudibis davisoni</i>	White-shouldered ibis	F	C
Ardeidae	<i>Ixobrychus cinnamomeus</i>	Cinnamon bittern	F	C
Ardeidae	<i>Butorides striatus</i>	Little / striated heron	F	C
Ardeidae	<i>Ardeola speciosa</i>	Javan pond-heron	F	C
Ardeidae	<i>Ardea sumatrana</i>	Great-billed heron	F	C
Ardeidae	<i>Ardea purpurea</i>	Purple heron	F	C
Ardeidae	<i>Egretta garzetta</i>	Little egret	F	C
PELICANIFORMES				
Anhingidae	<i>Anhinga melanogaster</i>	Oriental Darter	F	C
FALCONIFORMES				
Falconidae	<i>Microhierax fringillarius</i>	Black-thighed falconet	F	I
Accipitridae	<i>Aviceda jerdoni</i>	Jerdon's baza	S	C
Accipitridae	<i>Haliastur indus</i>	Brahminy kite	S	C
Accipitridae	<i>Haliaeetus leucogaster</i>	White-bellied sea-eagle	S	C
Accipitridae	<i>Ichthyophaga ichthyaetus</i>	Grey-headed fish-eagle	S	C
Accipitridae	<i>Ichthyophaga humilis</i>	Lesser fish-eagle	S	C
Accipitridae	<i>Spilornis cheela</i>	Crested serpent eagle	S	C
Accipitridae	<i>Accipiter trivirgatus</i>	Crested goshawk	S	C
Accipitridae	<i>Nisaetus limnaeetus</i>	Changeable hawk-eagle	S	C
Accipitridae	<i>Nisaetus nanus</i>	Wallace's hawk-eagle	S	C
GRUIFORMES				
Rallidae	<i>Rallina fasciata</i>	Red-legged crane	N	C
Rallidae	<i>Amaurornis phoenicurus</i>	White-breasted waterhen	N	C

CHARADIFORMES				
Pluvialidae	<i>Pluvialis fulva</i>	Pacific golden plover	F	C
Scolopacidae	<i>Actitis hypoleucos</i>	Common sandpiper	F	C
Scolopacidae	<i>Tringa glareola</i>	Wood sandpiper	F	C
Scolopacidae	<i>Tringa totanus</i>	Common redshank	F	C
Laridae	<i>Gelochelidon nilotica</i>	Gull-billed tern	Y	C
Laridae	<i>Sterna sumatrana</i>	Black-naped tern	Y	C
Laridae	<i>Sterna/Thalasseus sp. (depending</i>	Crested tern sp.	Y	C
COLUMBIFORMES				
Columbidae	<i>Columba livia</i>	Rock pigeon/rock dove (feral)	Y	G
Columbidae	<i>Streptopelia chinensis</i>	Spotted dove	F/G	S
Columbidae	<i>Chalcophaps indica</i>	Emerald dove	F/G	S
Columbidae	<i>Geopelia striata</i>	Zebra dove	F/G	S
Columbidae	<i>Ptilinopus jambu</i>	Jambu fruit-dove	F/T	F
Columbidae	<i>Treron fulvicollis</i>	Cinnamon-headed green-pigeon	F/T	F
Columbidae	<i>Treron vernans</i>	Pink-necked green-pigeon	F/T	F
Columbidae	<i>Treron curvirostra</i>	Thick-billed green-pigeon	F/T	F
Columbidae	<i>Ducula aenea</i>	Green imperial-pigeon	F/T	F
Columbidae	<i>Ducula badia</i>	Mountain imperial-pigeon	F/T	F
Columbidae	<i>Ducula bicolor</i>	Pied imperial-pigeon	F/T	F
PSITTACIFORMES				
Psittacidae	<i>Loriculus galgulus</i>	Blue-crowned hanging-parrot	F/T	F/S
Psittacidae	<i>Psittacula alexandri</i>	Red-breasted parakeet	F/T	F/S
Psittacidae	<i>Psittacula longicauda</i>	Long-tailed parakeet	F/T	F/S
CUCULIFORMES				
Cuculidae	<i>Cacomantis sonneratii</i>	Banded bay cuckoo	T	C
Cuculidae	<i>Cacomantis merulinus</i>	Plaintive cuckoo	T	C
Cuculidae	<i>Chrysococcyx xanthorhynchus</i>	Violet cuckoo	T	C
Cuculidae	<i>Surniculus lugubris</i>	Drongo cuckoo	T	C
Cuculidae	<i>Carpococcyx radiatus</i>	Bornean ground cuckoo	G	O
Cuculidae	<i>Rhopodytes sumatranus</i>	Chestnut-bellied malkoha	T	O
Cuculidae	<i>Rhinortha chlorophaeus</i>	Raffle's malkoha	T	O
Cuculidae	<i>Zanclostomus curvirostris</i>	Chestnut-breasted malkoha	T	O
Cuculidae	<i>Zanclostomus javanicus</i>	Red-billed malkoha	T	O
Cuculidae	<i>Centropus rectunguis</i>	Short-toed coucal	S	O
Cuculidae	<i>Centropus sinensis</i>	Greater coucal	N	O
Cuculidae	<i>Centropus bengalensis</i>	Lesser coucal	N	O
STRIGIFORMES				
Tytonidae	<i>Phodilus badius</i>	Oriental bay owl	N	C
Strigidae	<i>Otus lempiji</i>	Sunda scops owl	N	C

Strigidae	<i>Bubo sumatranus</i>	Barred eagle-owl	N	C
Strigidae	<i>Ketupa ketupu</i>	Buffy fish-owl	N	C
Strigidae	<i>Strix leptogrammica</i>	Brown wood-owl	N	C
Strigidae	<i>Ninox scutulata</i>	Brown hawk-owl / boobook	N	C
CAPRIMULGIFORMES				
Podargidae	<i>Batrachostomus stellatus</i>	Gould's frogmouth	N	I
Podargidae	<i>Batrachostomus cornutus</i>	Sunda frogmouth	N	I
Caprimulgidae	<i>Eurostopus temminckii</i>	Malaysian Eared nightjar	Y	I
Caprimulgidae	<i>Caprimulgus affinis</i>	Savanna nightjar	N	I
Caprimulgidae	<i>Caprimulgus concretus</i>	Bonaparte's/Sunda nightjar	N	T
APODIFORMES				
Apodidae	<i>Collocalia esculenta</i>	Glossy swiftlet	Y	A
Apodidae	<i>Aerodramus fuciphaga</i>	Edible-nest Swiftlet	Y	A
Apodidae	<i>Rhaphidura leucopygialis</i>	Silver-rumped spine/needletail	Y	A
Apodidae	<i>Apus affinis</i>	Little/house swift	Y	A
Apodidae	<i>Apus pacificus</i>	Fork-tailed swift	Y	A
Apodidae	<i>Hemiprocne longipennis</i>	Grey-rumped tree swift	Y	A
TROGONIFORMES				
Trogonidae	<i>Harpactes kasumba</i>	Red-naped trogon	N	L
Trogonidae	<i>Harpactes diardii</i>	Diard's trogon	N	L
Trogonidae	<i>Harpactes duvaucelii</i>	Scarlet-rumped trogon	N	L
CORACIIFORMES				
Coraciidae	<i>Eurystomus orientalis</i>	(Asian) Dollarbird	Y	S/A

Alcedinidae	<i>Pelargopsis capensis</i>	Stork-billed kingfisher	Y	P
Alcedinidae	<i>Todirhamphus sanctus</i>	Sacred kingfisher	Y	P
Alcedinidae	<i>Todirhamphus chloris</i>	Collared kingfisher	Y	P
Alcedinidae	<i>Ceyx rufidorsa</i>	Rufous-backed kingfisher/oriental d	Y	P/S
Alcedinidae	<i>Alcedo meninting</i>	Blue-eared kingfisher	Y	P
Meropidae	<i>Merops philippinus</i>	Blue-tailed bee-eater	Y	A
Meropidae	<i>Merops viridis</i>	Blue-throated bee-eater	Y	A
Bucerotidae	<i>Anorrhinus galeritus</i>	Bushy-crested hornbill	Y	F
Bucerotidae	<i>Anthracoceros albirostris</i>	Oriental Pied Hornbill	Y	F
Bucerotidae	<i>Anthracoceros malayanus</i>	(Asian) black hornbill	Y	F
Bucerotidae	<i>Buceros rhinoceros</i>	Rhinoceros hornbill	Y	F
Bucerotidae	<i>Rhinoplax vigil</i>	Helmeted hornbill	Y	F
Bucerotidae	<i>Aceros corrugatus</i>	Wrinkled hornbill	Y	F
PICIFORMES				
Ramphastidae	<i>Megalaima rafflesii</i>	Red-crowned barbet	T	O
Ramphastidae	<i>Megalaima australis</i>	Blue-eared barbet	T	O
Ramphastidae	<i>Calorhamphus fuliginosus</i>	Brown barbet	T	O

Picidae	<i>Sasia abnormis</i>	Rufous piculet	T	W/L
Picidae	<i>Dendrocopos moluccensis</i>	Sunda pygmy / brown-capped wood	T	W
Picidae	<i>Dendrocopos canicapillus</i>	Grey capped (pygmy) woodpecker	T	W
Picidae	<i>Dryocopus javensis</i>	White-bellied woodpecker	T	W
Picidae	<i>Celeus brachyurus</i>	Rufous woodpecker	T	W
Picidae	<i>Picus puniceus</i>	Crimson-winged woodpecker	T	W
Picidae	<i>Picus miniaceus</i>	Banded woodpecker	T	W
Picidae	<i>Dinopium rafflesii</i>	Olive-backed woodpecker	T	W
Picidae	<i>Blythipicus rubiginosus</i>	Maroon woodpecker	T	W
Picidae	<i>Reinwardtipicus validus</i>	Orange-backed woodpecker	T	W
Picidae	<i>Meiglyptes tristis</i>	Buff-rumped woodpecker	T	W
Picidae	<i>Meiglyptes tukki</i>	Buff-necked woodpecker	T	W
Picidae	<i>Mulleripicus pulverulentus</i>	Great slaty woodpecker	F/T	W
Picidae	<i>Hemicircus concretus</i>	Grey and buff woodpecker	F/T	W
PASSERIFORMES				
Eurylaimidae	<i>Calyptomena viridis</i>	(Asian) Green broadbill	T	F
Eurylaimidae	<i>Cymbirhynchus macrorhynchos</i>	Black-and-red broadbill	T	L
Eurylaimidae	<i>Eurylaimus javanicus</i>	Banded broadbill	T	L
Eurylaimidae	<i>Eurylaimus ochromalus</i>	Black-and-yellow broadbill	T	L
Pittidae	<i>Pitta moluccensis</i>	Blue -winged pitta	G	L
Pittidae	<i>Pitta granatina</i>	Garnet pitta	G	L
Acanthizidae	<i>Gerygone sulphurea</i>	Golden-bellied gerygone	T	L
Pachycephalidae	<i>Pachycephala cinerea</i>	Mangrove whistler	T	S
Campephagidae	<i>Coracina striata</i>	Bar-bellied cuckooshrike	T	L
Campephagidae	<i>Coracina fimbriata</i>	Lesser cuckooshrike	T	L
Campephagidae	<i>Lalage nigra</i>	Pied triller	T	L
Campephagidae	<i>Pericrocotus igneus</i>	Fiery minivet	F/T	L
Campephagidae	<i>Pericrocotus speciosus</i>	Scarlet minivet	F/T	L
Oriolidae	<i>Oriolus xanthonotus</i>	Dark-throated oriole	T	O
Incertae	<i>Hemipus hirundinaceus</i>	Black-winged flycatcher-shrike	T	S
Incertae	<i>Philentoma pyrhopterum</i>	Rufous-winged philentoma	T	L
Artamidae	<i>Artamus leucorhynchus</i>	White-breasted woodswallow	F/T	A
Aegithinidae	<i>Aegithina tiphia</i>	Common iora	T	L
Aegithinidae	<i>Aegithina viridissima</i>	Green iora	T	L
Rhipiduridae	<i>Rhipidura javanica</i>	Pied fantail	T	S
Monarchidae	<i>Hypothymis azurea</i>	Black-naped monarch	F	L/G
Monarchidae	<i>Terpsiphone paradisi</i>	Asian paradise flycatcher	F	L/G
Dicruridae	<i>Dicrurus paradiseus</i>	Greater racket-tailed drongo	T	L/G
Corvidae	<i>Corvus enca</i>	Slender-billed crow	F	O
Corvidae	<i>Platysmurus aterrimus</i>	(Bornean) black magpie	F	L
Pityriaseidae	<i>Pityriasis gymnocephala</i>	Bornean bristlehead	F	L
Laniidae	<i>Lanius tigrinus</i>	Tiger shrike	N	I

Laniidae	<i>Lanius cristatus</i>	Brown shrike		
Laniidae	<i>Lanius schach</i>	Long-tailed shrike	N	L
Nectarinidae	<i>Anthreptes simplex</i>	Plain sunbird	F`	L
Nectarinidae	<i>Anthreptes malacensis</i>	Brown / plain-throated sunbird	F`	L
Nectarinidae	<i>Anthreptes rhodolaema</i>	Red-throated sunbird	F`	L
Nectarinidae	<i>Chalcoparia singalensis</i>	Ruby-cheeked sunbird	F`	L
Nectarinidae	<i>Leptocoma brasiliana / sperata</i>	Van Hasselt's / purple-throated sunb	F`	L
Nectarinidae	<i>Aethopyga siparaja</i>	Crimson sunbird	F`	L
Nectarinidae	<i>Cinnyris jugularis</i>	Olive-backed sunbird	F`	L
Nectarinidae	<i>Hypogramma hypogrammicum</i>	Purple-naped sunbird	F`	L
Nectarinidae	<i>Arachnothera longirostra</i>	Little spiderhunter	T	L
Nectarinidae	<i>Arachnothera crassirostris</i>	Thick-billed spiderhunter	T	L
Nectarinidae	<i>Arachnothera flavigaster</i>	Spectacled spiderhunter	T	L
Nectarinidae	<i>Arachnothera chrysogenys</i>	Yellow-eared spiderhunter	T	L
Dicaeidae	<i>Prionochilus maculatus</i>	Yellow-breasted flowerpecker	T	L
Dicaeidae	<i>Prionochilus percussus</i>	Crimson-breasted flowerpecker	T	L
Dicaeidae	<i>Prionochilus thoracicus</i>	Scarlet-breasted flowerpecker	T	L
Dicaeidae	<i>Dicaeum thoracicus</i>	Scarlet-backed flowerpecker	T	L
Dicaeidae	<i>Dicaeum trigonostigma</i>	Orange-bellied flowerpecker	T	L
Chloropseidae	<i>Chloropsis sonnerati</i>	Greater green leafbird	T	F
Chloropseidae	<i>Chloropsis cyanopogon</i>	Lesser green leafbird	T	F
Chloropseidae	<i>Chloropsis cochinchinensis</i>	Blue-winged leafbird	T	F
Irenidae	<i>Irena puella</i>	Asian fairy-bluebird	T	F
Sittidae	<i>Sitta frontalis</i>	Velvet-fronted nuthatch	T	F
Estrildidae	<i>Lonchura atricapilla</i>	Chestnut/Black-headed munia	T	G
Estrildidae	<i>Lonchura fuscans</i>	Dusky munia	T	G
Passeridae	<i>Passer montanus</i>	Eurasian tree-sparrow	T	G
Motacillidae	<i>Motacilla cinerea</i>	Grey wagtail	T	L
Sturnidae	<i>Gracula religiosa</i>	(Common) hill-mynah	T	O
Muscicapidae	<i>Copsychus saularis</i>	(Oriental) magpie-robin	T	O
Muscicapidae	<i>Copsychus malabaricus</i>	White-rumped shama	T	O
Muscicapidae	<i>Trichixos pyrrhopygus</i>	Rufous-tailed shama	T	O
Muscicapidae	<i>Cyornis turcosus</i>	Malaysian blue flycatcher	T	L
Muscicapidae	<i>Muscucapa dauurica</i>	Asian brown flycatcher	T	S
Muscicapidae	<i>Rhinomyias umbratilis</i>	Grey-chested jungle-flycatcher	T	S
Pycnonotidae	<i>Pycnonotus atriceps</i>	Black-headed bulbul	T	F
Pycnonotidae	<i>Pycnonotus melanoleucos</i>	Black-and-white bulbul	T	F
Pycnonotidae	<i>Pycnonotus zeylanicus</i>	Straw-headed bulbul	T	F
Pycnonotidae	<i>Pycnonotus cyaniventris</i>	Grey-bellied bulbul	T	F
Pycnonotidae	<i>Pycnonotus eutilotus</i>	Puff-backed bulbul	T	F
Pycnonotidae	<i>Pycnonotus goiavier</i>	Yellow-vented bulbul	T	F
Pycnonotidae	<i>Pycnonotus plumosus</i>	Olive-winged bulbul	T	F
Pycnonotidae	<i>Pycnonotus simplex</i>	Cream-vented bulbul	T	F
Pycnonotidae	<i>Pycnonotus Aurigaster</i>	Sooty-headed bulbul	T	F
Pycnonotidae	<i>Setornis criniger</i>	Hook-billed bulbul	T	F
Pycnonotidae	<i>Iole olivacea</i>	Buff-vented bulbul	T	F

Pycnonotidae	<i>Alopoixus finschii</i>	Finsch's bulbul	T	F
Pycnonotidae	<i>Alophoixus bres</i>	Grey-cheeked bulbul	T	F
Hirundinidae	<i>Hirundo rustica</i>	Barn swallow	F	A
Hirundinidae	<i>Hirundo tahitica</i>	Pacific /house swallow	F	A
Timaliidae	<i>Stachyris nigricollis</i>	Black-throated babbler	T	L
Timaliidae	<i>Pomatorhinus montanus</i>	Chestnut-backed scimitar babbler	T	L
Timaliidae	<i>Stachyris erythroptera</i>	Chestnut-winged babbler	T	L
Timaliidae	<i>Stachyris maculata</i>	Chestnut-rumped babbler	T	L
Timaliidae	<i>Macronous bornensis</i>	Bold-striped tit-babbler	T	L
Timaliidae	<i>Macronous ptilosus</i>	Fluffy-backed tit-babbler	T	L
Timaliidae	<i>Pellorneum capistratum</i>	Black-capped babbler	T	G
Timaliidae	<i>Malacopteron magnirostre</i>	Moustached babbler	T	L
Timaliidae	<i>Malacopteron affine</i>	Sooty-capped babbler	T	L
Timaliidae	<i>Malacopteron cinereum</i>	Scaly-crowned babbler	T	L
Timaliidae	<i>Malacopteron magnum</i>	Rufous-crowned babbler	T	L
Timaliidae	<i>Ophryornis albogularis</i>	Grey-breasted babbler	T	L
Timaliidae	<i>Trichastoma rostratum</i>	White-chested babbler	T	L
Timaliidae	<i>Malacocincla malaccensis</i>	Short-tailed babbler	T	L
Phylloscopidae	<i>Phylloscopus borealis</i>	Arctic warbler	T	L
Cisticolidae	<i>Orthotomus ruficeps</i>	Ashy tailorbird	T	L
Cisticolidae	<i>Orthotomus sericeus</i>	Rufous-tailed tailorbird	T	L
Cisticolidae	<i>Orthotomus atrogularis</i>	Dark-necked Tailorbird	T	L
Cisticolidae	<i>Prinia flaviventris</i>	Yellow-bellied prinia	T	L

Feeding strata	Nocturnal /diurnal
----------------	--------------------

FLIGHT MODE

F= may fly far and straight over canopy or sedge

G	D
G	D
G	D

G= stays mostly on ground

T = stays mostly in the trees/or vegetaion

S = soars

FEEDING NICHEs

W	D
W	D
W	D
W	D
W	D
W	D
W	D
W	D
W	D

O = omnivore

S= sallying insectivore

L = gleaning insectivore

A = aerial insectivore

W = chiseling insectivore

H = herbivore

C = Carnivore

P = Pescivore

G = graminivore

F = frugivore

FEEDING STRATA

W	D
W	D
W	D
W	D
W	D
W	D

G = on or near ground

M = mid-storey

C = canopy

E = forest edge/disturbance

S = sedge

W = wetlands

A = above canopy

ACTIVE TIME

D = diurnal

N = nocturnal

C	D
C	D
W	D
W	D
W	D
W	D
C	D
C	D

C	D
C	D
W	D
W	D

W	D
W	D
W	D
W	D
W	D
W	D
W	D
G	D
G	D
G	D
G	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
G	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	N
C	N

C	N
C	N
C	N
C	N
E	N
E	N
C	N
S	N
F/E	N
A	D
A	D
A	D
A	D
A	D
A	D
U	D
U	D
U	D
A	D

W	D
W	D
W	D
F	D
E	D
S	D
S	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D

M	D
S	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
M	D
E	D
M	D
M	D
G	D
G	D
M/G	D

M	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
C	D
M	D
S	D
C	D
C	D
E/F	D
M	D
M	D
M/C	D
C	D
M	D
C	D
E	D

C/E	D
C/E	D
A	D
A	D
M/G	D
M	D
M	D
M	D
C/E	D
M/F	D
G	D
M	D
M	D
M	D
M	D
M	D
G	D
G	D
M	D
E	D
E	D
E	D
S	D